

Latest recommended config:

_tnx_profile.jcf

```
"BluetoothSPP": {
  "On": true,
  "Filter": "RS6000",
  "PIN": "",
  "UseDeviceMajor": false,
  "UnpairAll": false,
  "DiscoveryOn": false,
  "BarcodeType": "FNC3",
  "ShowUnpairBarcode": false,
  "ScannerType": 111,
  "TerminatorWait": 0,
  "Terminators": ""
},
```

```
"Bluetooth": {
   "OnAtStart": true,
   "OffAtExit": false,
   "KeepPairingOnExit": true,
   "KeepPairingOnStartup": true
}
```

Tested successfully on:

Android Oreo (8.x)								
Manufacturer	Device	Android Version	Date	Tnx version	Config details			
	Notes							

Android Nougat (7.x) - <u>No more tested on this version</u>							
Manufacturer	Device	Android Version	Date	Tnx version	Config deviation / Notes		



Unitech	WD100	7.1.1	17/03/20	Emulator 1.0.13.513 BT Pairing 7.0.4.505 Vxt Engine 4.2.5.501 Vxt Calibrate 6.1.2.506	"UnpairAll": false, "ScannerType": 111		
	Build number SQ46W_P1_00AX_YBUTE_AU1616_404_R_0_190715_01 Scanner reconnected by pressing the restore key Voice projects "HeadsetType": 1 (in _vxt_configuration.jcf file) Headset reconnected successfully						

Recommendations:

• Use the Filter parameter as much as you can. It will be easier to establish the connection between devices

Notes:

- On pairing perform, it is connected and disconnected once, but then connects automatically again.
- Vysor app installed at the device may cause the scanner to lose connection

Scanner Type 111:

- The use of ScannerType: 111 for Zebra devices requires the BT Pairing service at Android Accessibility menu option to be activated. In addition, it is convenient to use UnpairAll: false, to avoid having to scan multiple times to connect the scanner. UnPairAll: true could be more problemathic when you stablish the connection between the device and the scanner.
- Before using the scanner, please, scan the Non-Discoverable and the Non-AutoReconnect

barcodes:







Disable Auto-reconnect (0)